



Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System

> Andres Jose Vivas Segura > Monica Lucia Vera Ardila

FLORVERDE SUSTAINABLE FLOWERS

Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System

Author

Andres Jose Vivas Segura Ecologist, Master's Degree in History Coordinator of Florverde Socio-environmental Indicators System (SiS-Fv), at Asocolflores 2000-2011

Co-author Mónica Lucia Vera Ardila Biologist, specialist in Environmental Law Sustainability Impact Coordinator. Florverde Sustainable Flowers.

Contributions Ximena Franco Villegas Hugo Fernando Montero Florverde Sustainable Flowers Katheryn Mejia Asocolflores

Design and layout Equilibrio Grafico Editorial Ltda. First edition 2011

Partial or total reproduction is permitted, duly citing sources.

Second edition 2021. In digital format.

With support of:

asocolflores

Asociación Colombiana de Exportadores de Flores

Cite as: Vivas Segura, A. J. and Vera Ardila, M.L. (2021). Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System. Florverde Sustainable Flowers.

Warning

Asocolflores is not liable for any improper use this document or that of Florverde's Sustainable Flowers Certification scheme.

The concepts expressed here do not exempt companies from compliance of the current applicable legislation.

Some Rights Reserved Attribution - Non-Commercial - No Derivatives







Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System

Introduction

The Impact, Monitoring, and Evaluation System (IMES) has become a fundamental tool to monitor social, environmental, and economic performance of companies, in key aspects of flower production.

Indicator management began in 1998 with the measurement of pesticide consumption and, since then, various parameters have been integrated into processes related to water and energy consumption, absenteeism, among others. In 2010, in the first edition of the *Indicators Guide*, methodological sheets were consolidated for fifteen indicators, which cover priority environmental and social aspects.

Over time, other sustainability indicators have been added, complementing what is related to sustainability, from the Methodological Guide for Measurement of Indicators of the Florverde Impact, Monitoring, and Evaluation System.


Therefore, while following the same structure of guide published in 2010, we present a strengthened set of indicators that allows us to respond to the performance and impact of sustainability in floriculture.

You will find environmental and social indicators that have been handled in the past, some with adjustments in their form and others with more in-depth adjustments. These changes are highlighted in the methodological sheets; and additionally, 12 new indicators are presented: 3 related to the use of materials and waste management; 8 economic indicators related to water and energy costs, among others; and one associated with staff turnover. With this, we consolidate our 24 floriculture sustainability indicators.

We hope that this document will continue to be the technical guide for excellence when it comes to understanding indicators managed in the Florverde Impact, Monitoring, and Evaluation System – previously called Floriculture Socio-environmental Indicators System–, and thus, support business management to allowcompanies to monitor their performance in various high-impact aspects and with which they will be able to demonstrate to internal and external clients the value of their social, environmental, and economic management.

CONTENT

FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM





II. Floriculture indicators systems such as the Florverde Impact, Monitoring, and Evaluation System (IMES)

Content

» Environmental indicators 27 1. Water catchment indicator (CHf) - I 28 2. Irrigation water consumption indicator (CHr) - I 30 3. Rainwater use indicator (Ah) – CA 32 34 4. Energy consumption indicator (Ce) - I 5. Carbon emissions indicator in flower growing companies (business inventory of greenhouse 36 gases - GHG) - I 6. Indicator of consumption of active ingredient in chemical pesticides (Cia) – I 41 7. Material consumption indicator (Cm) - N 43 8. Generated waste indicator (Rg) - N 45 9.Usable waste indicator – N 47

Indicators for decision-making

- >> What is an indicator
- >> Selection of indicators
- >> Methodological basis
- >> Analysis of indicators

» Economic indicators

- 10. Pesticide consumption cost indicato
- 11. Cost per accident indicator (Cacc)- N
- 12. Groundwater harvesting cost indicat
- 13. Surface water harvesting cost indicat
- 14. Cost of rainwater use (Ccall)- N
- 15. Cost of water used in irrigation indica
- 16. Product non-conformity cost indicate
- 17. Electricity cost indicator (Cee)- N

» Social indicators

- 18. Rate of absenteeism due to health is
- 19. Absenteeism due to legal labor facto
- 20. Absenteeism due to controllable lab
- 21. Absenteeism due to labor factors (IA
- 22. Accident rate (TA)- I
- 23. Work accidents severity rate (TS)- I
- 24. Turnover percentage (R)- N

Bibliography

FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM

12	
14	
17	
19	

	49
r (Ccp)- N	50
	51
or- N	53
tor- N	55
	57
ator (car)- N	59
or (CNC)- N	61
	63
	65
sues (LAS)- I	66
rs (Ial)- CA	68
or factors (lafc)- CA	73
L)- I	76
	77
	80
	82





Guía metodológica para la medición de indicadores en el sistema de impacto, monitoreo y evaluación Florverde

I. Decision-making indicators

IDICADORES PARA LA SISTEMA DE IMPACTO, OMA DE DECISIONES MONITOREO Y EVALUACIÓN





Methodological Guide for Measurement of Indicators 12 of Florverde Impact, Monitoring, and Evaluation System

What is an indicator

According to the Organization for Economic Cooperation and Development (OECD, 2004), an indicator is "a parameter or a value derived from parameters, that aims to provide information about, and describe the state of, a phenomenon/environment/area, with a significance that goes beyond properties directly associated with the value of the parameter". Given the large variety of existing indicators, OECD recognizes that there is no universal set of indicators, given that each one provides information for different users, purposes, and audiences. An index will then be defined as "a set of aggregated or weighted parameters or indicators"; while a parameter is "a property that is measured or observed" (OECD, 2003, pp. 4-5). According to Ortiz et al. (2004, p. 18), an indicator is defined as "a statistical measure selected for its ability to show a given phenomenon, which is designed and produced for tracking and monitoring purposes." (p. 18).


According to Moncada (2011), indicators are measures that synthesize complex data into a simpler form, and require a context for their analysis and interpretation, given that they record accomplished facts, describe behaviors, and help identify changes in time and space for a given process. A sustainability indicator must integrate variables that facilitate decision-making on social, environmental, and economic aspects; they are complex measures with great explanatory and predictive power. To select an indicator and implement it in a process, it must meet the following minimum criteria:

13

CONTENT

- measurement, is not useful.
- designed; therefore, avoiding confusion in the interpretation.
- to be measured and controlled.
- simple.
- regardless of its geographical location or moment in time.
- results.
- scientific community.
- making.
- technicians, and administrators who use it.





>> Measurable: it is capable of being measured; an indicator that is impossible to measure, either due to costs, means, data availability, or any other difficulty in its

>> Unequivocal: its results point specifically to the aspect for which it has been

>> Well-formulated: it has all the required formalities, including mathematical formulations, as well as the inclusion of all pertinent variables for the phenomenon

>> Simple: it must contain only the most pertinent variables related to the phenomenon to be measured, so both its measurement and its interpretation are

>> Generic: it must be capable of being calculated under similar conditions,

>> Sensitive to changes: it must be able to show change in the actual process

>> Scientifically valid: it adheres to methods and accuracy criteria accepted by the

>> Reliable: its formulation and forms of measurement and presentation provide confidence to the user who reads and interprets them, in order to guide decision-

>> Widely-accepted: it is recognized in the sector as being useful in terms of planning and decision-making, and is accepted by the community of managers,



- >> Strategic: it is orientated towards sensitive issues for productivity and performance of one or several sectors, and avoids superficial issues.
- >> Economically viable: its measurement and calculation imply a rational cost; it does not exceed the company's payment capacity.
- >> Institutional commitment: it focuses on the company's strategic plan, in turn, contributing to the improvement process.

Implementation of indicators in Colombian floriculture has made it possible to monitor the development of social and environmental processes that affect the wellbeing of employees, environmental responsibility, and productivity of the company.



Many indicators have been developed for multiple purposes and contexts; for example: performance, management, condition, process, result, impact, evaluation, among others, which offer a wide possibility of choices for any user. Among environmental indicators that follow the OECD proposal (1994) are those of biodiversity, framed in the pressure/state/response model, and have been developed by Alexander von Humboldt Biological Resources Research Institute, in Colombia. This is an old and simple model that helps to identify the direct and indirect pressures on a specific phenomenon.

In this way, some key criteria are proposed for the incorporation of an indicator in a system of indicators (Ortiz *et al.*, 2004):

- » Simplicity: Various users must be able to understand and apply the indicator.
- » Validity: Indicators must meet the technical characteristics to guarantee that they effectively measure what theyintend to measure. This criterion is achieved through clear and explicit conceptualization of the definition of the indicator, including its relevance and calculation formula.

15

CONTENT


- the impossibility of having the information required for their estimation.
- and not on the person in charge of carrying out the measurement.
- geographical area) and temporal (simultaneous)) scenarios (p.19).

According to Moncada (2011), in the framework of sustainability indicators there is a division between absolute and relative indicators. An absolute indicator is expressed in the same units as the measurement, such as the number of workplace accidents in a company; while a relative indicator evaluates efficiency in the use of resources, such as averages and rates; for example, the monthly accident rate. The methodology proposed by the Global Reporting Initiative (GRI) (Asocolflores, 2010) contemplates both absolute indicators (total numbers) and relative indicators, which will always be ratios between quantities.

Among the relative indicators are those of eco-efficiency, in which the value of a product or service is related to its influence on the environment; for example, calculation of carbon emissions, which measures the amount of finished product/ton of CO2 emitted into the atmosphere. Relative indicators can also be used by reversing the positions of the dividend and divisor, in turn, converting into intensity indicators.



FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM



» Availability: To be calculated, the indicator must have information available or likely to be generated based on available resources. Therefore, the design of viable indicators in terms of their measurement is prioritized, and future indicators are identified, given

» Replicability: The indicator can be measured and verified in a consistent and systematic manner, based on clearly identifiable information, to which the definition, relevance, and calculation formula criteria are applied, and it must be adequately summarized in the respective methodological sheet. Thus, the result will depend on reality

» Comparability: The indicator can be measured in different spatial (within the same



Moncada (2011) recommends that, in order to decide what type of indicator should be implemented in a given company and process, the following actions must be taken into consideration:

- >> Establish indicator objectives and goals.
- >> Recognize the specificities of the type of process to be measured.
- >> Clearly identify data collection processes.
- >> Identify the stakeholders in the information provided by the indicator, and the best way to present the information to them.
- >> Establish procedures, responsibilities, and formats, as well as the control of information quality, and to involve measurement processes in the routine of the company.
- >> Document all aspects related to the indicators.

In addition, once the indicators have been selected, it is essential to guarantee that input data meets certain quality parameters that account for good practices in data management. According to ISEAL (2014), parameters to consider are relevance, consistency, completeness, , precision, timeliness, and availability.

Now, if you want to implement sustainability indicators, you must take into account the following considerations in order to guarantee their success:

- >> Obtain management support as institutional backing in the indicator measurement process, and as beneficiaries of its implementation.
- >> Get farm staff support in order to have periodic data in a timely and accurate manner for the calculation of indicators.
- >> Consider various operations in different geographical locations; the system must be flexible.
- >> Avoid the use of many indicators; an excess of indicators can lead to confusion in their interpretation, or to contradiction.

17 CONTENT

When implementing indicators, it is essential to include them in the business culture, in the daily life of employees and processes. If a company has a sufficient set of indicators and their measurement is internalized in the work of the employees and the company, it will have powerful tools to help make strategic decisions and, thus, improve its performance in environmental, social, and economic terms.



When designing a specific system of indicators, it is necessary that each of the selected indicators be methodologically supported, in turn, making it possible to identify key points and processes that contemplate their calculation or estimation. Only through adequate technical documentation of each indicator is it possible to guarantee replicability and comparability in multiple situations, as well as its monitoring over time.

According to Jennings et al. (2020), indicators can be used to define the scope of a sustainability system, monitor performance, and assess impact. Consequently, they must be clear about their methodological basis to ensure that they are comparable and scalable.

The instrument used in the Florverde Impact, Monitoring, and Evaluation System to describe each indicator is the methodological sheet on which the basic characteristics are recorded, so the rigor required to have quality information is observed, and at the same time, it can also be replicated in similar contexts in the flower sector. With complete documentation of each indicator, there is a way to implement standardized sustainability information systems for various production processes.

The methodological sheet model implemented includes information described in the following table.





Methodological Guide for Measurement of Indicators 18 of Florverde Impact, Monitoring, and Evaluation System

19 CONTENT

1	Name of the Indicator	This field contains the full Name of the IndicatorName of the Indicator, along with its statistical name. It must refer specifically to the variable to be measured; for example: indicator of consumption of active ingredient of chemical pesticides (Cia).
2	Definition	A statement that answers the question, "What does this indicator measure?".
3	Objective	The purpose or intention that motivates the design and implementation of an indicator is stated in the form of one or several actions that motivate its measurement. It answers the question, "Why do we want to measure this indicator?".
4	Indicator Formula	The representation of the indicator as a statistical formula, with its corresponding and adequate notation, in such a way that it helps to identify relationships established between variables involved, while following a calculation route under equal conditions, for example: $CHf = \frac{Hf}{Ap}$
5	Description of Variables	An enumeration of all variables involved in the formula, so that its users understand the statistical notation used. For example (in the case of point 4), Hf: volume of water captured for flower production (lps); Ap: productive area (ha).
6	Unit of measurement	The unit resulting from application of the formula for a specific case. For the above example, the unit of measurement is liters per second, per hectare (lps/ha).
7	Measurement Methods	This point describes activities and instruments required to periodically measure data in the field, so that its replicability in similar contexts is as precise as possible.
8	Form of Presentation	The possible ways in which the indicator can be represented are described, so that it is visually and conceptually understandable by potential users. Iindicators can be presented as figures, different types of graphs (histogram, pie, scatter, among others), or in new specialized software designs (statistics, plotter, web pages, among others), according to the type of resulting data, as well as with the synthesis capacity offered by some types of graphs for specific informative purposes. This field must contain an example.
9	Periodicity in Data Measurement	The data must be measured monthly in the flower farms, given that this temporality is associated with all administrative processes in the farm.

10	Indicator Interpretation	6	This field must con result of the indic important points t understand the ca usefulness to mal objective.	th alc
n	Observations	6	In this field, all observed in any of indicator are cons as well as its expla	f t sig
12	Sources of Information	6	The people or in calculate the indic	
13	Relationship with Other Indicators	6	This field relates t Impact, Monitorin variables, or betwe in order to give gre Other existing inc be mentioned, in t	ng ee at dic
14	Responsible Entity or Group	6	This space conta participating in th	
15	Year of Elaboration	6	The date in wh designed.	ic
16	Date of Last Update	6	The last date in wi	nie
17	Secondary Sources	6	Bibliography used	l iı



Analysis of Indicators

One of the purposes of implementing indicators in a process is so that they can be analyzed for decisionmaking. In other words, indicators alone do not offer the solution to problems; people must extract from them as much information as possible to implement actions that help improve the performance of a process, in this case, a flower production process.

In the analysis of indicators, company's personnel who are most suited to manage topics dealt with must participate, including directors, technicians, and process

tain a description of the specific meaning of the ator's application; that is, it mentions the most hat a user must observe in the graph to correctly culation made; in turn, highlighting its potential e informed decisions regarding the indicator's

particularities and precautions that must be the steps contemplated in the application of an gned, when applicable, to guarantee its guality, atory and predictive power.

titutions that provide basic data required to ator are mentioned.

ne indicator to other indicators of the Florverde g, and Evaluation System with which it shares en which causal relationships can be established ter explanatory power to a specific phenomenon. icators in fields other than floriculture can also he context of the indicator in question.

ns the full name of the person or institution conceptualization and design of the indicator.

h the methodological sheet was originally

ich some aspect of the indicator was updated.

in the elaboration of the methodological sheet.



managers, who have first-hand knowledge and are directly involved in the daily (current and future) operations of the company.

At this level of analysis, variations of the indicator over time and their possible technical explanations can be identified, as well as establishing performance levels using central tendency measurements (average, standard deviation, among others), as a way of measuring the processes involved. Trends or anomalies can also be identified in certain aspects in order to make decisions to optimize them.

At another level of analysis are managers who, when having reliable data over long periods of time, can adopt strategies to reduce costs and improve the company's social and environmental performance, while, at the same time, they have figures and graphs which allow them to manage the company. Some of the questions to be answered in this analysis are listed below and may be answered if the information and technical capacity are available:

- >> What is the total monthly or annual value of the indicator?
- >> What is the average monthly and annual value?
- >> In which months (and years) were extreme values of the indicator presented?
- >> Why were there such extreme values?
- >> Does the monthly average increase or decrease each year?
- >> What is the trend of the indicator?
- >> At what rate does the trend of the indicator increase or decrease?
- >>> Between what ranges is the variability of the indicator data?
- >> What is the company's position with respect to other companies that are measured by this indicator?
- >> What is the sector's average for the indicator? Is the company above or below this average?

- >> How much does the increase or decrease in indicator values cost the company?
- >> What might be the causes of variation of the indicator as a function of time?
- of variation?

By evaluating these questions periodically with the technical and managerial team of flower farms, it is possible to ensure that the proposed set of indicators has an effective impact on the company's decision-making; a sign of its commitment to improving workers' conditions and environment.

At another level of analysis is the authority that can, globally, try to clarify processes associated with the proper management of resources by the group of companies that manage information. This authority could be Asocolflores, the Technical Secretariat of the Florverde Certification Scheme, or floriculture business groups.

With the information managed in these analysis groups you can:

- >> Have a general overview of the behavior of the sector, certified companies, or the
- >> Plan actions to improve the sector, improve the group of certified companies, or improve business groups.
- >> At a sectoral level and at the level of certified companies and business groups, of companies in the use of resources that are being monitored and evaluated.

Despite having a tool that allows the generation of graphs which support the analysis of the farm, we are aware of the need for flower companies to carry out a more detailed analysis associated with their operation, using data managed through the Impact, Monitoring, and Evaluation System, but also integrating other variables. Therefore, as an attachment to this Guide, a directory of useful resources is presented (Attachment 1) for the use of Microsoft Excel, which show you how to execute simple data processes.

>> How can performance of indicators be improved by managing the identified causes

business group, in terms of the use of certain resources that are being monitored.

represent stakeholders based on information that accounts for the performance



Florverde Impact, Monitoring, and Evaluation System (IMES Florverde)

INDICADORES PARA LA TOMA DE DECISIONES

SISTEMA DE IMPACTO. MONITOREO Y EVALUACIÓN

ALA



Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System

Floriculture indicator system such as the Florverde Impact, Monitoring, and **Evaluation System** (IMES Florverde)

The Impact, Monitoring, and Evaluation System (IMES) has been implemented as the Sustainability Indicator System for Colombian Floriculture since 1998, initially in Asocolflores, with the purpose of supporting business management to monitor performance of farms in various aspects of high impact and with which they will be able to demonstrate to internal and external clients the value of their social, environmental, and economic management. In that same year, the system was adopted by Florverde Sustainable Flowers as its business sustainability management tool and certified companies started managing their own data.

The first indicator implemented was the consumption of chemical pesticides measured in active ingredient (AI), and over time those of water, energy, absenteeism, accidents, severity, carbon footprint, turnover, economics, among others, were included.


IMES aims to continue to be a reference for monitoring performance of floriculture farms with respect to management of fundamental resources for productive activity, while taking an extra step on a global level when it comes to carrying out more complex analyses that integrate information which helps make decisions in the company that respond to, not only CONTENT

internal managerial needs, but also external transparency in terms of performance and the market.

Validation of impact measurement, monitoring, and evaluation should be aligned with international initiatives to demonstrate greater transparency and better comparability.For this, the ISEAL code of good practice (ISEAL, 2014), which defines principles that must be met by sustainability information systems, was selected. These principles, which are described below, are accepted, and complied with by Florverde IMES.

- effectiveness of the standard in terms of achieving its sustainability objectives.
- operation of the standard in terms of its contents or other strategies.
- available.
- through performance monitoring and evaluation.

Currently, Florverde IMES is a tool that makes it easier for companies to manage information on their performance in terms of sustainability, through standardized methods of data capturing and processing, as well as the use of controlled languages.



>> Sustainability: there is an IMES implemented which helps measure the

>> Improvement: IMES results are integrated in order to improve the structure and

>> Rigor: procedures are in place to ensure the quality of performance monitoring data.

>> Transparency: information outlets and impact assessments are made publicly

>> Truthfulness: results and impact claims are based on information generated



Methodological Guide for Measurement of Indicators 26 of Florverde Impact, Monitoring, and Evaluation System

Indicators contained in the Florverde IMES are a tool that allows timely evaluation of individual and sectoral performance in environmental, social, and economic aspects. This information is used to design strategies for the implementation of good environmental and social practices. On the other hand, information provided by Florverde IMES facilitates the representation of floriculture before stakeholders at local, regional, and international level, with timely and reliable figures.

Elements addressed in the Florverde IMES establish it as a sustainability indicator system. Even though individual indicators refer to specific aspects of floriculture farms and their production processes, in general, they consider sustainability variables aligned with the environmental, social, and economic sectors.

With this type of impact measurement system it is always important to keep in mind that many of the problems associated with sustainability must be measured and reported on a larger scale than just the site providing the data. Hence, the importance of an IMES that can group many producers and give a representative vision of the regional reality and performance and impact on the use of different resources.

Data management and the generation of indicators will allow the contributing companies to give declarations, based on comprehensive data, that responds to the reality of their processes. Indicators evidenced here present a variety of aspects that can be highly relevant and "can be used to credibly measure and report performance over time and at multiple spatial scales". (Jennings et al., 2020).

This new edition of the indicator guide has been developed with the purpose of aligning sustainability indicators with global initiatives that address these metrics within the IMES framework. It presents 24 indicators divided into three groups: environmental, social, and economic indicators, which are detailed below.

For ease in understanding the methodological sheets, the following conventions are included next to the title: (I) to identify if the indicator remains the same as the 2010 version of the guide; (CA) to identify if adjustments have been made, and (N) to identify if the indicator is new.



Environmental Indicators

This set of nine indicators illustrates the farm's performance in terms of water catchment from surface and underground sources, water consumption in irrigation processes, real use of rainwater, energy consumption in the production process that comes from different sources, such as electricity and fossil fuels, chemical pesticide consumption measured in active ingredient by type of crop, direct and indirect emissions, use of materials related towaste generation, as well as generation of conventional, special, and hazardous waste. Thus, the priority aspects that can generate the greatest environmental impact are estimated.



Water Catchment Indicator

(CHf) - I

Name of Water catchment from surface and underground sources (CHf). the Indicator Record the amount of water extracted from surface and underground Definition sources to produce flowers for export, per hectare. Record the amount of water extracted from surface and under-Objective around sources to produce flowers. Indicator CHf= AD Formula H_{c} water catchment from surface or underground sources used to produce flowers and ornamental plants, in liters per second (lps). **Description of** 5 A.: monthly cultivated area, in hectares (ha). This includes the area Variables planted in a greenhouse or planted outdoors. It does not correspond to the total area of the farm, nor exclusively to the greenhouse area. Unit of 6 Liters per second, per hectare (lps/ha). Measurement Dwater catchment data is measured on the farms, with volumetric valves installed in pipes that extract water from surface or underground sources, as the case may be. Volume is generally Measurement measured in cubic meters (m³); however, if units are different from **Methods** cubic meters (m3), it is necessary to convert the measurement to register water withdrawal in cubic meters (m³) in the Florverde IMES. Once the catchment data has been entered into the system, Florverde IMES converts it into lps. The indicator is presented graphically, as a histogram of frequencies in which farms that report information each month, are compared. Surface and groundwater abstraction Comparison between farms 1.5 -1.25 Form of 8 Presentation \$ 0.75 0.5 0.25

0.

\checkmark		
8	Form of Presentation	TIt can also be calcul In each case, calculati as its standard deviat
9	Frequency of Data Measurement	Monthly.
10	Interpretation of the Indicator	When comparing the it is possible to identif that have low values) Differences between cultivated, the plantin during each evaluated as well as use of rainw If monthly consumpt times in which greated flower production car ages in consecutive ye forfuture years
n	Observations	The purpose is to gu water resources, achi and increase the use of water is through th Measure amount o and groundwater - production of flowe Measure consumpt Determine the subs Compare water co and union level. Provide informati authorities.
12	Sources of Information	Floriculture companie
13	Relationship with other Indicators	Water catchment inUse of rainwater.
14	Responsible Entity or Group	Florverde Sustainable
15	Year of Elaboration	2001, with adjustmen
16	Date of Last Update	August 12, 2020.
17	Secondary Sources	None.

>>

Farms

FLORVERDE IMPACT. MONITORING. AND EVALUATION SYSTEM

lated for one or several farms over any period. tion of an average for the analyzed data, as well tion, will facilitate the analysis of the indicator.

e values of water catchment in different farms, ify those with better use of this resource (those and those that need water use improvement. farms may be due to type of flower being ng system. climatic characteristics of each farm ed period, better water management practices, water.

tion values are compared throughout the year, er or lower volumes of water were extracted for n be identified. A comparative analysis of averyears helps make water consumption decisions

arantee that companies make rational use of ieve a reduction in groundwater consumption, of rainwater. The way to verify this rational use he indicator, which allows companies to:

of water extracted from water sources (surface -in the case of the savannah: deep wells-) for ers for export.

tion of water used for the production of flowers. stitution of tap water by rainwater in companies. onsumption between companies, at regional

ion for procedures before environmental

ies.

in irrigation.

e Flowers Technical Secretariat.

nts in 2008.



Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System

Irrigation Water Consumption Indicator (*CHf*) – I

1	Name of the Indicator	Irrigation water consumption (CHr)		
2	Definition	It measures consumption of water used in the production of flowers.		
3	Objective	Measure amount of water consumed in irrigation processes in floriculture farms.		
4	Indicator Formula	$CHr = \frac{Hr}{Ap}$		
5	Description of Variables	 Hr: water consumption in irrigation, in liters per second (lps). Ap: monthly cultivated area, in hectares (ha). This includes area planted in a greenhouse or planted outdoors. It does not correspond to the total area of the farm, nor exclusively to area in a greenhouse. 		
6	Unit of Measurement	Liters per second, per hectare (Ips/ha).		
7	Measurement Methods	In each company, water consumption values must be periodically recorded according to the reading of a meter or volumetric valve installed in irrigation stations at the source of water to be used on the crop. The value is usually recorded in cubic meters; if units are different from cubic meters (m ³), it is necessary to make the necessary conversions to record irrigation consumption in cubic meters (m ³) in Florverde IMES. Once consumptions have been entered into the system, Florverde IMES converts them into lps.		
8	Form of Presentation	The indicator is presented graphically as a histogram of frequencies in which farms that report information are compared. Irrigation water consumption (CHf)-1 Comparisone between farms		

9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	By comparing wat of farms, it is poss of this resource (the management imp due to type of floc characteristics of ea water manageme are compared throw volumes of water u analysis of average water use decisions
11	Observations	Water is a funda Therefore, the mea allow its consump companies in the s its conservation an
12	Sources of Information	Flower companies.
13	Relationship with other Indicators	Catchment of waUse of rainwater.
14	Responsible Entity or Group	Florverde Sustainal

31 CONTENT

Year of

Update

Sources

>>

Secondary

Elaboration Date of Last

ter consumption values in the irrigation process ssible to identify which farms have a better use those with low values) or those requiring water provement. Differences between farms may be lowers cultivated, the planting system, climatic each farm during each evaluated period, or better ent practices. If monthly consumption values roughout the year, times when greater or lower used in irrigation can be identified. A comparative les in consecutive years offers elements to make ns in the future.

lamental input for the production of flowers. easurement of its use through an indicator will ption to be determined and compared between same sector in order to propose actions aimed at nd rational management.

vater from surface and underground sources.

able Flowers Technical Secretariat

2001, with adjustments in 2008.

August 12, 2020.

None.





 \checkmark



Rainwater Use Indicator (Ah) – CA

1	Name of the Indicator	Use of rainwater (Ah).		
2	Definition	Measures percentage of rainwater used in a month, with respect to total water used for crop irrigation.		
3	Objective	 Estimate the proportion of rainwater used in flower irrigation processes on floriculture farms during a specific period, with respect to total water used for irrigation in the same period. Learn how rainwater is used on farms and its behavior over time. 		
4	Indicator Formula	$Ah = \frac{(Hr - Hf)}{Hr} \times 100$		
5	Description of Variables	 Hr: water consumption in irrigation, in cubic meters (m³). Hf: water catchment from surface and underground sources, in cubic meters (m³). 		
6	Unit of Measurement	Percentage (%).		
7	Measurement Methods	Floriculture farms must record monthly, the amount of surface and groundwater captured, and consumption of water used forirrigation, according to readings of meters installed for each catchment. The value is usually measured in cubic meters; if units are different from cubic meters (m3), they must be converted to register catchment and irrigation consumption in cubic meters (m ³) in Florverde IMES. Once water consumption is entered into Florverde IMES, it is converted into lps.		
8	Form of Presentation	The indicator is presented graphically as a histogram of frequencies in which farms that reported information each month are compared. Use of rainwater (Ah) Comparison between farms		

\sim				
9	Periodicity in Data Measurement	Monthly.		
10	Indicator Interpretation	 One of the following If the percentage not take advantage were supplied by a sources. If the percentage is used to irrigate use of rainwater is for crop irrigation, the ideal situation, underground source If the value is less used and more was sources than is reading the source of the so		
11	Observations	None.		
12	Sources of Information	Floriculture compani		
13	Relationship with Other Indicators	Consumption of irrigingCatchment of water		
14	Responsible Entity or Group	Florverde Sustainable		
15	Year of Elaboration	2001, with adjustmen		
16	Date of Last Update	August 12, 2020.		
17	Secondary Sources	None		

FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM



cases may occur:

is equal to 0%, it indicates that the farm does ge of rainwater and crop's irrigation water needs capturing water from surface or underground

is greater than 0% (positive), it means rainwater e the crops. As the value approaches 100%, the is high, and it becomes the main water source . From an environmental point of view, this is , given that catchment of water from surface or rces is lower and substituted by rainwater.

than 0% (negative), it means rainwater is not vater is captured from surface or underground equired for crop irrigation. This condition is not waste is evident.


nies.

rigation water er from surface and underground sources.

le Flowers Technical Secretariat.

ents in 2008.





Monthly.

and using it.

Flower companies.

None.

2006.

None.

August 12, 2020.

		ergy consumption indicator $e - I$	9	Periodicity Measureme
1	Name of the Indicator	Energy consumption (Ce).	10	Indicator
2	Definition	Determines energy consumption by different sources used in the production of flowers and ornamental plants per hectare. Sources of energy considered include, electricity, ACPM, gasoline, gas, and coal. The unit of calculation is kilowatt-hours per hectare (kWh/ha).		Interpretatio
3	Objective	 Quantify total energy consumption in floriculture farms. Know energy consumption depending on its source (electricity, coal, gasoline, etc.). 		
4	Indicator Formula	$Ce = \frac{\sum Cei}{Ap}$	11	Observatior
5	Description of Variables	 Cei: consumption of energy sources used in a month, in kilowatts/ hour (kWh). Ap: productive area in a month, in hectares (ha). This includes cultivated area (in greenhouse or outdoors), plus other areas of the farm destined to produce flowers (post-harvest, offices, 		
	Unit of	among others).	12	Sources of Information
6	Measurement	Kilowatt-hours per hectare (kWh/ha).	13	Relationship Other Indica
7	Measurement Methods	The company must quantify energy consumption used in a month from the following sources: ACPM, coal, gasoline, gas, or electricity, and record this information in Florverde IMES, together with the company's production area data.	14	Responsible Entity or Gro
		The indicator is presented graphically as a histogram of frequencies in which farms that reported information each month are compared,	15	Year of Elaboration
		in kWh/ha. Energy comsumption Comparison between farms	16	Date of Last Update
		100k	17	Secondary Sources
B	Form of Presentation			
		Farms Each farm can demonstrate its performance, month by month and year by year. Additionally, you can compare your consumption by		

>>

By comparing energy consumption values of different farms, it is possible to identify their differential consumption. Differences between farms may be due to type of flowers being grown and the implementation of good energy management practices.

If monthly consumption values are compared throughout the year, times when energy consumption was higher in the flower production process can be identified. A comparative analysis of averages in consecutive years helps making decisions regarding energy consumption in future years.

Energy is an important input in flower production from an economic and environmental point of view considering the effects of producing

Its measurement by means of an indicator allows companies to determine their consumption and compare themselves with other companies in the same sector.

Therefore, the indicator helps promote the companies' ability to measure and identify losses and inefficiencies in the use of energy. Moreover, how these can be remedied through implementation of good practices, such as the use of renewable energy sources (photovoltaic energy). This is reflected in the decrease in consumption and reduction of costs.


Florverde Sustainable Flowers Technical Secretariat.





Indicator of Carbon Emissions in Floriculture Companies (Business Inventory of Greenhouse Gases - GEI) – I

1	Name of the Indicator	Greenhouse gas emissions in floriculture companies (HC_f).
		The production process of flowers and ornamental plants begins with the propagation of plants through the post-harvest, and includes external transportation of harvested products to the embarkation sites (departure airport) and landing sites (arrival airport). Below are some definitions of key terms related to processes and sources of direct and indirect emissions that are taken into account when calculating carbon footprints, taken from WBCSD - WRI - SEMARNAT (2005):
		 a. Las emisiones directas: provienen de fuentes que son propiedad o están bajo control de la empresa que reporta (p. 114).
		b. Las emisiones indirectas: son consecuencia de las operaciones de la empresa que reporta, pero que ocurren a partir de fuentes que son propiedad o están bajo control de otras empresas (p. 114).
2	Definition	c. Los fertilizantes son un insumo utilizado en cantidades importantes. "El papel fundamental de los fertilizantes en la floricultura es proporcionar nutrientes a las plantas para su desarrollo" (Montero, 2010, p. 49). La aplicación de fertilizantes nitrogenados de origen químico u orgánico al cultivo genera óxido nitroso (N2O), que es un gas de efecto invernadero. De igual manera, la aplicación de urea y enmiendas como la cal también generan dióxido de carbono (CO2). Las fuentes de emisión son:
		 Consumption of nitrogenous fertilizers (direct emissions). Consumption of urea and lime (direct emissions).
		d. Refrigerants: fluids used to transfer heat to refrigeration systems; these fluids have a high global warming potential and last a long time in the environment, therefore contributing significantly to increase GHG emissions. Consumption of refrigerants in floriculture stems from the use of cold rooms and the transportation of flowers. Emission sources are the following:
		 Consumption of refrigerants in the production process and internal transportation (direct emissions). Consumption of refrigerants in outsourced transportation (indirect emissions). The types of refrigerant gases in the production process and internal transportation to be considered are the following: CFC-11, CFC-12, sulfur hexafluoride, R-22, R-407C, R-290, HCHF-22, perfluoro methane, R- 11, R-134A and R-410A.



e. Fuels: derived from petroleum, including oil, natural gas, and coal. In floriculture fuels required for the production process, as well as

Diesel and gasoline: used as a source of energy for machinery and equipment used in the production process (power plants, water pumps, string trimmers, spray machines, among others), and internal and external transportation of flowers (vehicles).

o Consumption of diesel and gasoline in production processes and internal transportation (direct emissions).

o Consumption of diesel and gasoline in outsourced transportation (indirect emissions).

Natural gas: used in floriculture farms, mainly for heating processes and as fuel for vehicles.

o Consumption of natural gas in production processes and internal transportation (direct emissions).

o Consumption of natural gas in outsourced transportation

Liquefied petroleum gas (LPG): mainly used in floriculture

o LPG consumption (direct emissions).

Coal: used as source of energy, mainly for the operation of boilers, which generates steam for disinfection of soils and

o Coal consumption (direct emissions).

The types of coal to consider in this calculation are anthracite,

f. Electrical energy: energy consumption is essential in the production process, given that it is used for the pumping and irrigation of water, cooling and lighting.

Although electrical energy is consumed in the production process, it is considered a source of indirect emissions, since it comes from power generation plants, which must assume direct responsibility

g. Air transportation refers to shipment of flowers from the producing country to any consumption country. Some of the factors to consider for emissions generated by this source include the distance traveled and cargo weight.

Determine greenhouse gas emissions in the production of

Identify direct and indirect sources of greenhouse gas emissions in the production processes of flowers and ornamental

Support decision-making to minimize or offset greenhouse gas emissions generated by production processes of flowers



Indicator

Formula

Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System38	39	CONTENT	DECISION-MAKING INDICATORS
	\approx		
$HC_{f} = E_{fd} + E_{fi}$ $E_{fd} = R_{p} + R_{ip} + C_{p} + C_{ip} + C_{cp} + F_{n}$ $E_{fi} = C_{tt} + E_{p} + R_{tt} + T_{a}$ $R_{p} = \sum (R_{ip} \times F_{em})$ $R_{ip} = \sum (R_{ip} \times F_{em})$ $C_{p} = \sum (Comb_{cp} \times F_{em})$ $C_{tp} = \sum (Comb_{ctp} \times F_{em})$ $C_{cp} = \sum C_{cp} \times F_{em}$ $F_{n} = \sum (F_{qi} + F_{o}) \times F_{em}$ $+ \sum (F_{qi} \times F_{em}) + \sum (F_{o} \times F_{em}) + (U \times F_{em})$ $+ (C_{cal} \times F_{em}) + (C_{dol} \times F_{em})$ $F_{qi} = (F_{cqi} \times F_{p} \times F_{[cc]}) + (\frac{F_{ce} \times F_{cn}}{1000})$ $F_{o} = F_{co} \times F_{no} \times F_{p}$	5	Description of Variables	F_{co} : amount of liquid and so F_{no} : nitrogen content (%) in l C_{cal} : consumption of limesto C_{dol} : consumption of dolomit E_p : electrical energy consur E_{cp} : amount of energy consur T_a : air transportation. R_i : pounds of refrigerant co $Comb_c$: fuels consumed (m³, ga C_c : carbon consumed (kg). F_{em} : emission factor; this depit is exclusive to each fue C_{pe} : weight of boxes sent by C_{nu} : number of boxes shipped A_d : distance between depa (km) . $F_{em-CO2e}$: emission factor of k C_{ex} : gross weight of exported U : urea consumption (kg).Note: each refrigerant and fuere calculating the sum.
$C_{tt} = \sum \left(Comb_{ctt} \times F_{em} \right)$ $E_p = E_{cp} \times F_{em}$	6	Unit of measurement	Tons of CO_2 equivalent (CO_2 -ec
$R_{tt} = \sum (R_{itt} \times F_{em})$	7	Measurement Methods	The company must quantify c monthly records.
$\begin{split} T_a &= (C_{ex} \times A_d \times F_{em-CO2e}) \\ C_{ex} &= C_{pe} \times C_{nu} \end{split}$	8	Form of Presentation	The indicator is presented grap comparing farms that reported equivalent (CO ₂ -eq). Distribution Comparise 10k 000 000 Entilizers Refrigerants in transport It can also be differentiated B periods (month, semester, yea Each farm can see its monthly

>>

Description of Variables


5

- solid organic fertilizers consumed. n liquid and solid organic fertilizers.
- stone (kg).
- mite lime (kg).
- sumption in process.
- nsumed in the process.
- consumed (lb).
- gal).
- epends on variable to be measured, since uel, coolant, etc.
- by air transportation (kg).
- ped by air freight.
- eparture airport and destination airport
- kg CO₂e/kg-km in air transportation.
- ted boxes (kg).
- д).
- uel must be calculated separately, befo-

eq).

consumption of each input from their

raphically as a histogram of frequencies ted information each month, tons of CO₂



by emission sources during different ear).

hly or yearly performance and calculate the amount of direct and indirect emissions.




10

Methodological Guide for Measurement of Indicators 40 of Florverde Impact, Monitoring, and Evaluation System

Periodicity in Data Measurement	Monthly.
Indicator Interpretation	By comparing greenhouse gas (GHG) emission values in farms, it is possible to identify their differential consumption. If monthly consumption values are compared throughout the year, the periods when GHG emission was higher in the production of flowers can be recognized. A comparative analysis of averages in consecutive years helps companies make decisions regarding emissions in future years.

		years.	
11	Observations	None	
12	Sources of Information	Floriculture companies.	
13	Relationship with Other Indicators	Power consumption indicator.	
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.	
15	Year of Elaboration	November 17, 2011.	
16	Date of Last Update	August 12, 2020.	
17	Secondary Sources	 Montero and Quintero (2010). Blackberry (2009). Parrado and Leiva (2011). 	



41 CONTENT

1	Name of the Indicator	Consumption of activ
2	Definition	It measures the ave ponds to chemical p of the different ornar
3	Objective	Determine the amou applied during a giv and ornamental pla sion-making and est
4	Indicator Formula	
5	Description of Variables	C_a : quantity of comper month, per month, per liters). CO_{ia} : concentration pesticide used A : area of the orr
6	Unit of measurement	Kilograms of active ir
7	Measurement Methods	The company must i ters) of each of the co to each ornamental s
8	Form of Presentation	Histogram of frequer of chemical pesticide during a given period Active ingred

FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM

Consumption of Active Ingredient of Chemical Pesticides (Cia) – I

ive ingredient of chemical pesticides (C_{ia}) .

erage amount of active ingredient that correspesticides applied monthly per hectare, in each mental species grown by the company.

ount of active ingredient of chemical pesticides ven period, in companies that produce flowers ants, in order to support phytosanitary decitablish consumption goals.

$C_{ia} = \frac{\sum (C_a \times CO_{ia})}{A}$

ommercial chemical pesticide product applied, er cultivated ornamental species (in kilograms or

n of active ingredient of the commercial chemical ed (%).

namental species cultivated in a month (ha).

ingredient per hectare (kg a.i./ha).

record the monthly amount (in kilograms or liommercial chemical pesticide products applied species in the cultivated area.

ncies that shows the amount of active ingredient des applied by ornamental species, by company, d (monthly or annually).




dient consumption of chemical pesticides Monthly comparison



Methodological Guide for Measurement of Indicators 42 of Florverde Impact, Monitoring, and Evaluation System


Produces comparative graphs of monthly consumption of one or more companies, for the same ornamental species.

In addition, consumption of pesticides can be disaggregated and classified into large groups (insecticides + acaricides, fungicides, nematicides, fumigants, and herbicides).



Form of Presentation

This consumption indicator also makes it possible to display, in a disaggregated manner, the corresponding amounts contributed by chemical pesticides in each of their toxicological categories.



9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	Offers a comparison of the consumption of chemical pesticides in a company over time, evaluating their behavior and applying statistics to identify averages and trends, among other measurements. A comparative analysis of averages for consecutive years helps companies make decisions and establish goals to reduce consumption of chemical pesticides.

$\stackrel{\scriptstyle \sim}{\scriptstyle \sim}$		
n	Observations	With this indicator, or lower values of a well as establish me deviation, among o sector.
12	Sources of Information	Floriculture compan
13	Relationship with Other Indicators	It can be evaluated of meteorological data weather stations.
14	Responsible Enti- ty or Group	Florverde Sustainab
15	Year of Elaboration	1996.
16	Date of Last Update	August 12, 2020.
17	Secondary Sources	Quintero (2009).



43

CONTENT

(Cm) - N.

1	Name of the Indicator	Material consumptio
2	Definition	Calculates amount of generation of waste plants.
3	Objective	Make it easier for co used, which is direct
4	Indicator Formula	C_m
5	Description of Variables	Cm: amount of mate ct: quantity of card cp: amount of wrap m: amount of woo p: amount of pape pi: amount of gree Fp: kilograms of flo
6	Unit of measurement	kg of materials used

, it is possible to identify farms with higher and/ active ingredient consumption per hectare, as easures of central tendencies (average, standard others) in order to analyze this variable in the

nies.

comparatively with local or regional climatic and a, or with data produced using the farms' own

ble Flowers Technical Secretariat.

Material Consumption Indicator



ion (C_m)

of raw material used in a month in relation to the from the production of flowers and ornamental

companies to calculate amount of raw material tly related to waste generation.

 $\sum ct + cp + m + p + pi$ Fp

terial used in the production process.

dboard boxes used (packaging) (kg).

apping paper and cellophane used (kg).

od used (kg)..

per used (kg).

enhouse plastic used (kg).


ower produced monthly.

I / kg of flowers produced.



Methodological Guide for Measurement of Indicators 44 of Florverde Impact, Monitoring, and Evaluation System

Ň			
7	Measurement Methods	The amount of material used, mainly in post-harvest (cardboard, wrapping paper, and cellophane) and cultivation (greenhouse plastic and wood) is recorded monthly. Data associated with these amounts is provided by personnel in charge of the warehouse or procurement.	
8	Form of Presentation	EThe indicator is presented graphically as a histogram of frequencies in which farms that report information each month are compared. Quantity of material used per flower produced Comparison between farms	
9	Periodicity in Data Measurement	Monthly.	
10	Indicator interpretation	Companies with the highest values in terms of use of materials are generally those that generate more of this type of waste in a month. A good understanding of materials used and possible management options once they become conventional waste, make it possible to optimize the use of these materials.	
11	Observations	None.	
12	Sources of Information	Floriculture companies.	
13	Relationship with Other Indicators	Generated waste.	
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretary.	
15	Year of Elaboration	March 2015.	
16	Date of Last Update	August 13, 2020.	
17	Secondary Sources	Asocolflores (2002).	



$$Rg = \left(\frac{Rc + Rp}{Fp}\right) + Cp + C + m + p + pi + cp$$



Methodological Guide for Measurement of Indicators 46 of Florverde Impact, Monitoring, and Evaluation System

V			
8	Form of Presentation	It can also be calculated for one or more farms over any period.	
9	Periodicity in Data Measurement	Monthly.	
10	Indicator Interpretation	Companies can count on monthly waste generation data broken down for the two types of waste generated (conventional and hazardous), with which they can see the most representative waste generated in the process and develop waste management replacement, reutilization, or exploitation plans.	
11	Observations	Conventional waste addressed with this indicator consists of wrapping paper or cellophane, cardboard, vegetable waste, wood, paper, and greenhouse plastic. Hazardous waste addressed with this indicator consists of pesticide containers and packaging material, PPE, and pesticide application equipment, lighting, batteries, computers and peripherals, oil containers and packaging and used oils.	
12	Sources of Information	Floriculture companies.	
13	Relationship with Other Indicators	Material consumption.	
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.	
15	Year of Elaboration	March 2015.	
16	Date of Last Update	August 13, 2020.	
17	Secondary Sources	Asocolflores (2002).	



47 CONTENT

Usable waste indicator -N

1	Name of the Indicator	Usable waste (Rr).
2	Definition	Measures monthly a third party for use.
3	Objective	Make it easier for com paper or cellophane, plastic waste in a give be reused.
4	Indicator Formula	Rr =
5	Descripción de variables	Rrc:monthly total ofRrcp:monthly total ofRrp:monthly total ofRrpi:monthly total ofFp:kilograms of flor
6	Unit of Measurement	Kilograms harvested ,
7	Measurement Methods	Companies must re generated; data that materials to third par
		The indicator is prese in which farms that re
		Amount
		3
8	Form of Presentation	2- Бұ/бұ
		1-
		0
		It can also be calculat

DECISION-MAKING INDICATORS

amounts of usable solid waste delivered to a

mpanies to calculate amount of usable wrapping cardboard and paper, scrap, and greenhouse ven period, which is delivered to a third party to

 $\sum Rrc + Rrcp + Rrp + Rrpi$ Fp

l of usable cardboard waste (packaging) (kg). of usable wrapping paper or cellophane waste (kg).

l of usable paper waste (kg).

l of usable greenhouse plastic waste (kg).


lowers produced in a month (kg).

I / Kilograms of flower produced.

ecord the monthly amount of usable waste is obtained from referrals of delivery of these rties for their reuse.

ented graphically as a histogram of frequencies report information each month are compared.

of waste reuse per flower produced Comparison between farms



ted for one or more farms over any given period.



Methodological Guide for Measurement of Indicators
of Florverde Impact, Monitoring, and Evaluation System48

Ň		
9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	The aim is to collect information regarding waste used in the floriculture sector and analyze its productivity. With this, companies can compare amounts of waste used in their farms with respect to waste used in other farms of the sector.
11	Observations	None.
12	Sources of Information	Floriculture companies.
13	Relationship with Other Indicators	Consumption of materials and waste generated.
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.
15	Year of Elaboration	March 2015.
16	Date of Last Update	August 13, 2020.
17	Secondary Sources	Asocolflores (2002).





Economic indicators

This set of eight indicators allows us to determine

the cost of the use of certain fundamental resources in the production of flowers, such as:

- a) consumption of pesticides;
- b) use of water differentiated by its source, be it surface, underground, or recirculated;
- d) irrigation water;
- e) accidents, and
- product non-conformity. f)

c) the different energy sources used in the process;



Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System



Pesticide Consumption Cost Indicator (Ccp) - N

1	Name of the Indicator	Pesticide consumption cost (Ccp).		
2	Definition	Calculate cost associated with the use of pesticides, which includes the cost of the pesticides used on the farm and the cost of personnel needed to apply them, for each kilogram of flowers produced.		
3	Objective	Facilitate the calculation of monthly costs incurred by companies for the use of chemical pesticides.		
4	Indicator Formula	$Ccp = \left(\frac{Cp + Cmo}{Fp}\right)$		
5	Description of Variables	Cp: total cost of a pesticide consumed in one month (\$).Cmo: monthly cost of labor used to apply pesticides (\$).Fp: monthly total kilograms of flowers produced (kg).		
6	Unit of Measurement	Local currency (Colombian pesos or US dollars) per kilogram of flowers produced (USD/kg).		
7	Measurement Methods	Each farm has data related to the purchase of chemical products used on the crop month by month. This data is recorded by the wa- rehouse and purchasing area; the company must present updated information on prices of pesticides used throughout the month. On the other hand, the farm must account for the cost of labor associa- ted with the application of chemical products, costs that depend on the type of crop and staff turnover, among others.		
8	Form of Presentation	The indicator is presented graphically as a histogram of frequencies in which farms that report information each month are compared. Cost of pesticide consumption Monthly comparison 1500 1		
		It can also be calculated for one or more farms over any given period.		

\checkmark		
9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	When comparing th it is possible to ident which may be due to the type of crops, the
11	Observations	None.
12	Sources of Information	Floriculture compani
13	Relationship with Other Indicators	Consumption of activ
14	Responsible Entity or Group	Florverde Sustainable
15	Year of Elaboration	May 8, 2018.
16	Date of Last Update	August 12, 2020.
17	Secondary Sources	ECS Consultants (201



Accident Cost Indicator (Cacc) – N

1	Name of the Indicator	Cost per accident (Ca
2	Definition	Calculate cost of acc suffered by company
3	Objective	Evidence expenses i who has an accident
4	Indicator Formula	Cae
5	Description of Variables	Chnl:costCmor:replaCr:laborCru:empNe:num
6	Unit of measurement	Local currency (Co (USD/worker)

CONTENT

51

DECISIO INDI

ON-MAKING
ICATORS

FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM

he values of the cost of pesticides consumed, ntify companies that spend more on pesticides, to methods used to control pests and diseases, ne selection of products used, among others.

nies.

ive ingredient of chemical pesticides.

le Flowers Technical Secretariat.

016).

Cacc).

ccidents, disabilities, and occupational diseases by workers.

incurred by the company for each employee t in the farm.

$$e = \left(\frac{Chnl + Cmor + Cr + Cru}{Ne}\right)$$

t of hours not worked in the month (USD). acement labor costs (USD). or retraining costs (USD). oloyee relocation costs (USD). nber of employees (#).

olombian pesos or US dollars) per worker



 \mathbf{X}

Methodological Guide for Measurement of Indicators 52 of Florverde Impact, Monitoring, and Evaluation System

CONTENT

53

Groundwater Catchment Cost Indicator – N

1	Name of the Indicator	Groundwater catchm
2	Definition	Calculates monthly produce flowers and
3	Objective	Quantify the cost of c and ornamental plan
4	Indicator Formula	
5	Description of Variables	Tsb: rate for groun authority (USD Cbasb : cost of pumpin used for groun CebCeb: cost of mainte this activity (USD Vsb
6	Unit of Measurement	Local currency (Color groundwater (USD/m
7	Measurement Methods	Groundwater catchr readings of meter ins wells. The volume is of groundwater use authority charges wa energy costs depend and the amount of tim
8	Form of Presentation	The indicator is preser which costs of collecti any given period (mor Co

7	Measurement Methods	Data for this indicator comes from absenteeism records kept by companies and payments made for disabilities. Additionally, costs of replacement labor and job relocation depend on companies' remuneration policies.
8	Form of Presentation	The indicator is presented graphically as a histogram of frequencies in which farms that report information each month are compared. It can also be calculated for one or more farms over any given period.
9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	By comparing data generated by this indicator, an economic follow- up of companies can be made to determine those which have the highest expenses due to accidents. By doing so, those that have accident prevention programs or those whose conditions define a risky environment for their collaborators, are evidenced.
11	Observations	With this information, accident prevention programs in floriculture companies can be promoted to protect workers and minimize costs.
12	Sources of Information	Floriculture companies.
13	Relationship with Other Indicators	Accident rate, severity rate.
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.
15	Year of Elaboration	May 8, 2018.
16	Date of Last Update	August 12, 2020.
17	Secondary Sources	ECS Consultants (2016).



ment cost (Ccas).

cost of collecting groundwater required to ornamental plants.

capturing groundwater used to produce flowers nts in a given period of time.

$$Ccas = \left(\frac{Tsb + (Cbasb)}{Vsb}\right)$$
$$Cbas = (Ceb + Cmr)$$

undwater use defined by local environmental 5D).

ing groundwater; corresponds to cost of energy ndwater pumping.


enance and spare parts (Cmr) for pump used for JSD).

of groundwater catchment (m³).

ombian pesos or US dollars) per cubic meter of m³).

ment data is obtained from the records of nstalled in the pipe that extracts water from the measured in m³. On the other hand, the rate is that which the competent environmental ater resource users. The calculation of pumping nds on the pump conditions, its maintenance, ime the pump was used.

ented graphically as a histogram of frequencies in ting groundwater per company are compared for onthly or annually).





Secondary

Sources

Methodological Guide for Measurement of Indicators 54 of Florverde Impact, Monitoring, and Evaluation System

55 CONTENT

Cost Indicator – N

1	Name of the Indicator	Surface water catchment cost (Ccasp).
2	Definition	Calculates monthly costs incurred by the compan from surface sources (rivers, lakes, streams, etc.).
3	Objective	Make it easier for the company to calculate c water from surface sources, which is used to pro ornamental plants in each period
4	Indicator Formula	$Ccasp = \left(\frac{Tas + (Cbas)}{Vas}\right)$ $Cbas = (Ceb + Cmr)$
5	Description of Variables	Tas : surface water rates as defined by the lo authority (USD). Cbas : surface water pumping costs (USD); correct energy used to pump surface water (Ceb) (of maintenance and spare parts (Cmr) (Used for this activity. Vas : total volume of surface water catchment (maintenance)
6	Unit of measurement	Local currency (Colombian pesos or US dollars) p surface water (USD/m3).
7	Measurement Methods	Surface water abstraction data is taken from records that quantify volume of water captured The calculation of pumping energy costs depen conditions, its maintenance and usage time.
		The indicator is presented graphically as a histogram which costs of capturing surface water are compare ring a given period (monthly or annually). Surface water harvesting cost Monthly comparison
	Form of	250 -
8	Presentation	E 150 - d 100 -
		50 -
		January February March April Months

\checkmark		
8	Form of Presentation	It also shows comparative graphs of costs of collecting groundwater from one or several farms for any given period.
9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	When comparing values of the cost of groundwater consumption, it is possible to identify companies with higher costs in terms of ground- water catchment, by highlighting the highest values in the graph. Di- fferences between farms might be due to technical conditions of the well, operational management of the catchment, and the equipment and distribution networks' conditions of each company.
n	Observations	This indicator is complemented by indicators related to the cost of rainwater catchment and cost of collecting water from surface sour- ces, in turn, providing a global idea of costs incurred by the company for the use of different water resources.
12	Sources of Information	Floriculture companies.
13	Relationship with Other Indicators	Cost of water used for irrigation.
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.
15	Year of Elaboration	May 8, 2018.
16	Date of Last Update	August 12, 2020.

CAR (2019).

ECS Consultants (2016).



Surface Water Catchment

costs incurred by the company to capture water es (rivers, lakes, streams, etc.).

the company to calculate costs of capturing sources, which is used to produce flowers and n each period..

$$Ccasp = \left(\frac{Tas + (Cbas)}{Vas}\right)$$
$$Cbas = (Ceb + Cmr)$$

er rates as defined by the local environmental 5D).

r pumping costs (USD); corresponds to cost of to pump surface water (Ceb) (USD) plus the cost nce and spare parts (Cmr) (USD) for the pump activity.

of surface water catchment (m³).

ombian pesos or US dollars) per cubic meter of m3).

traction data is taken from meter reading fy volume of water captured; measured in m³. pumping energy costs depends on the pump's tenance and usage time.

ented graphically as a histogram of frequencies in ring surface water are compared by company dumonthly or annually).





6

17


Update

Sources

Secondary

Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System

8	Form of Presentation	It also allows showing comparative graphs of collection costs between farms that record information throughout any given period.
9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	By comparing values of the cost of surface water consumption, it is possible to identify companies with higher costs in terms of surface water catchment (those with the highest values). The differences between these values might be due to the technical conditions of water catchment, its operational management, or the equipment and distribution networks' conditions of each company.
11	Observations	This indicator is complemented by the indicator for the cost of rainwater catchment, as well as the cost of groundwater catchment, facilitating a global idea of costs incurred by the company in terms of the use of different water resources.
12	Sources of Information	Floriculture companies.
13	Relationship with Other Indicators	Cost of water used for irrigation.
4	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.
15	Year of Elaboration	May 8, 2018.
16	Date of Last	August 12 2020



August 12, 2020.

CAR (2019).

ECS Consultants (2016)

57 CONTENT

4

Cost of Rai (*Ccall*) – N

	1	Name of the Indicator	Cost of rainwater cato	
	2	Definition	Calculate the Compa	
	3	Objective	Provide the company the use of rainwater plants in a given perio	
	4	Indicator Formula		
	5	Description of Variables	Ci : infrastructure of the gutters a Cball : cost of pumpir for pumping ra spare parts (US Vcall : total volume o	
	6	Unit of Measurement	Local currency (Color rainwater captured (L	
	7	Measurement Methods	Rainwater catchment the covered area, as w used. It can also be o irrigation consumption better reliability. The w	
4	8	Form of Presentation	The indicator is prese in which costs of usir companies during a c	

DECISION-MAKING INDICATORS

Cost of Rainwater Catchment



tchment (Ccall).

any's monthly of catchment of rainwater cost.

y with the quantification of costs associated with r in the production of flowers and ornamental iod.


 $Ccall = \left(\frac{Ci + (Cball)}{Vcall} \right)$ Cball = (Ceb + Cmr)

e cost (USD); corresponds to maintenance costs and downspouts (USD) installed in the farm. ing rainwater (USD); corresponds to energy costs rainwater (Ceb), plus the cost of maintenance and JSD) of pump used for this activity (Cmr). of rainwater catchment (m^3).

ombian pesos or US dollars) per cubic meter of (USD/m³).

nt data is estimated based on site precipitation, well as the state and type of gutters or channels determined based on the difference between tion minus water catchment, the latter having volume of rainwater is measured in m³.

ented graphically as a histogram of frequencies sing rainwater are compared between different given period (monthly or annually).





 \checkmark

Methodological Guide for Measurement of Indicators 58 of Florverde Impact, Monitoring, and Evaluation System

59 CONTENT



1	Name of the Indicator	Cost of water used in
2	Definition	Calculate monthly co for irrigation.
3	Objective	Make it easier for the with the use of water culation, and rainwa farm for production of
4	Indicator Formula	$CHr = \left(\frac{Cau}{Cau}\right)$ $Cau = (Ccasb)$
5	Description of Variables	Cau:cost of waterCcasb:groundwater%uasb:percentage of%uasp:percentage of%uasp:percentage of%uall:percentage of%uall:percentage of%uall:percentage of%uall:percentage of%uall:percentage of%uar:recirculation%uar:percentage of%uar:percentage of%uar:cost of the irr%uar:cost of the irrCe:energy costCmr:cost of maint(USD).Cf:Cta:cost of waterwater treatmwater treatmYaur:total volume
6	Unit of Measurement	Local currency (Colc (USD/m³).
7	Measurement Methods	The data related to v records of meter read tions. The volume is r

Ň		
8	Form of Presentation	It also facilitates the use of comparative graphs for the costs of using rainwater from one or more farms over any given period.
9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	When comparing values of the cost of using rainwater in the farms, it is possible to identify those farms with a higher cost in the assembly and maintenance of the rainwater catchment infrastructure. The higher values in consecutive months show the beginnings of the assembly of the catchment infrastructure, or if higher costs are evident in farms that already counted on catchment infrastructure, it might be due to possible failures in its design and assembly.
11	Observations	None.
12	Sources of Information	Precipitation, catchment, and irrigation records that are taken monthly by the companies.
13	Relationship with Other Indicators	This indicator is complemented by indicators of the cost of capturing surface and underground water, facilitating a global idea of costs incurred by the company in terms of the use of different water resources.
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.
15	Year of Elaboration	May 8, 2018.
16	Date of Last Update	August 12, 2020.
17	Secondary Sources	ECS Consultants (2016).



Cost of Water Used in Irrigation Indicator (Car) - N

n irrigation (Car).

ost incurred by the company for the use of water

e company to quantify monthly costs associated er that comes from surface, underground, recirater sources, which is used for irrigation in the of flowers and ornamental plants.

a + Csr + Cf + CtaVaur

*% uasb + Ccasp *% uasp + Ccall *% uall) $+\left(\frac{Cir+Cbr}{Vaur}\right)$ (*% uar) Csr = Ce + Cmr

er used (USD).

er catchment cost (USD).

of groundwater use (%).

ace water catchment (USD).

of surface water use (%).

water catchment (USD).

of rainwater use (%).

n infrastructure costs (USD).

n pumping cost (USD).

of recirculation water use (%).

e of water captured for recirculation (m^{3}) .

rrigation system (USD).

for operation of the irrigation system (USD).

ntenance and spare parts for the irrigation system

izers (USD).

er treatment (USD); corresponds to input costs for nent (USD).

e of water used in irrigation (m³).

ombian pesos or US dollars) per cubic meter

water consumption in irrigation is taken from adings which are installed in the fertigation stameasured in m³.



Methodological Guide for Measurement of Indicators 60 of Florverde Impact, Monitoring, and Evaluation System

61 CONTENT

1	Name of the Indicator	Product non-conform
2	Definition	Calculate monthly cos classified as discarded
3	Objective	Make it easier for cor does not meet export
4	Indicator Formula	$Cnc = \left(\frac{Ccp + Cc}{Ccp + Cc}\right)$
5	Description of Variables	Ccp:cost of pesticitCcasp:cost of surfaceCcasb:cost of groundCcall:cost of rainwatCarc:cost of eaguainfraestructurede recirculaciócaptación de aCar:cost of water uCee:cost of electricFne:kilograms of fl
6	Unit of Measurement	Local currency (Color flower produced, but
7	Measurement Methods	This indicator depend of different water sou gistration of energy co sociated with the use through the indicator cators.

\checkmark			
8	Form of Presentation	The indicator is presented graphically as a histogram of frequencies in which costs for using irrigation water are compared between different companies during a given period (monthly or annually). Cost of water used in irrigation Monthly comparison	
9	Periodicity in Data Measurement	Monthly.	
10	Indicator Interpretation	By comparing the values of the cost of irrigation water, it is possible to identify farms that have a higher cost and, possibly, greater use of water resources. The differences between these values can be due to different production methods and operating processes of each farm.	
11	Observations	None.	
12	Sources of Information	Floriculture companies.	
13	Relationship with Other Indicators	This indicator depends on the costs of groundwater catchment (Ccas), surface water catchment (Ccasp), rainwater catchment (Ccall), and the cost of recirculating water.	
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.	
15	Year of Elaboration	May 8, 2018.	
16	Date of Last Update	August 12, 2020.	
17	Secondary Sources	ECS Consultants (2016).	

Product Non-conformity Cost Indicator (*Cnc*) – N

nity cost (Cnc).

ost incurred by the company for product that is ed, national, and non-exportable.

ompanies to quantify the cost of product that tation quality standards.

Ccasp + Ccasb + Ccall + Carc + Car + CeeFne

$$Carc = \left(\frac{Cr + Cbr}{Var}\right)$$

ide consumption (USD/kg).

e water catchment (USD/m³).

dwater catchment (USD/m³).

ater catchment (USD/m³).

a de recirculación que comprende los costos de ra de recirculación (Cr), más el costo de bombeo ión (Cbr) (\$), dividido entre el volumen total de agua para recirculación (Var) (m³).

used in irrigation COP/m³).

cal energy (USD/kg).

flower not exported (kg).

ombian pesos or US dollars) per kilogram of not exported (USD/kg).

ds on registration of data related to catchment urces (underground, surface, rain, etc.), the reconsumption in the process, as well as costs ase of chemical pesticides. This data is managed r system and iscalculated as independent indi-

>>



Methodological Guide for Measurement of Indicators 62 of Florverde Impact, Monitoring, and Evaluation System

63 CONTENT

6

1	Name of the Indicator	Electrical energy cost
2	Definition	Quantify the month production activities.
3	Objective	Make it easier for fai required for flower a given period.
4	Indicator Formula	Cee = Cp =
5	Description of Variables	Pe : Electricity bill fromCi : Infrastructure controlthe electrical netCp : Power plant costthe cost of maintEc : Total energy concommed in a mEp : Energy producedkWh produced inFp : Kilograms of flow
6	Unit of measure	Local currency (Colo flower produced (USE
7	Measurement Methods	Data associated wit taken from the billin consumed in a mont company, within the must have a mainte of the electrical netw different tasks in its p power plant, costs to operation and those explained, can be acc maintenance program

$\stackrel{\scriptstyle \sim}{\scriptstyle \sim}$			
8	Form of Presentation	The indicator is presented graphically as a histogram of frequencies in which farms that report information each month are compared. Cost of product nonconformity Monthly Comparison	
9	Periodicity in Data Measurement	Monthly.	
10	Indicator Interpretation	Determines the costs that the company assumes for losses of pro- ducts that are not exported due to operational problems; compa- nies that assume higher costs are those that are having production, quality, or phytosanitary problems. Finally, this indicator is also an input for productivity analysis and monitoring product quality, whe- re variables such as the efficient use of resources, and pest control, among others, have influence.	
11	Observations	None.	
12	Sources of Information	Floriculture companies.	
13	Relationship with Other Indicators	This indicator is calculated based on information from the following indicators: pesticide consumption costs, surface water catchment costs, groundwater catchment costs, rainwater catchment costs, and electrical energy costs.	
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.	
15	Year of Elaboration	May 8, 2018.	
16	Date of Last Update	August 12, 2020.	
17	Secondary Sources	ECS Consultants (2016).	

DECISION-MAKING INDICATORS


Electrical Energy Cost Indicator (*Cee*) – N



st (Cee).

thly cost of electrical energy required for

arms to quantify the cost of electrical energy and ornamental production activities in any



om the inter-municipal network (USD).

cost (USD); corresponds to maintenance cost of etwork.

st (USD); refers to the cost of fuel used (Cc), plus ntenance and spare parts (Cmr) (USD).

consumed (kWh); corresponds to total kWh month.

ed by the power plant (kWh); corresponds to total in a month by the power plant.

wer produced (kg).

ombian pesos or US dollars) per kilogram of SD/kg).

ith the consumption of electrical energy is ing of this service, where the number of kWh nth and its cost are identified. Additionally, the e framework of its energy efficiency program, tenance schedule that includes maintenance work and the electrical plant which is used for production process. Regarding the cost of the to be considered only include fuel used for its e associated with its maintenance, which, as ccounted for by the machinery and equipment am.



Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System

V		
8	Form of Presentation	The indicator is presented graphically as a histogram of frequencies in which farms that report information each month are compared. It can also be calculated for one or more farms over any given period.
9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	This indicator shows costs associated with the use of different energy sources in production, in order to help design energy saving plans and implement more efficient processes. Additionally, the indicator lays out the company's situation in terms of its electrical energy use, by comparing it with other companies.
11	Observations	None.
12	Sources of Information	Floriculture companies.
13	Relationship with Other Indicators	Total energy consumption.
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.
15	Year of Elaboration	August 12, 2020.
16	Date of Last Update	August 6, 2018
17	Secondary Sources	ECS Consultants (2016).





Social indicators

This set of seven indicators illustrates the company or farm's performance in aspects such as labor absenteeism due to controllable factors and legal factors, absenteeism due to health issues, as well as accident rates, severity, and turnover. In this sense, priority elements are covered, as well as those that can generate a greater impact on the way the company deals with its collaborators. These indicators are essential to develop prevention programs within companies.



		\sim		
Name of the Indicator	Rate of absenteeism due to health (LAS).			The information Medical lea
	Facilitates measuring absenteeism of workers linked to a company through direct contracts or through third parties (temporary service companies, associated work cooperatives, simplified stock compa- nies), due to causes such as general or occupational illnesses (re- gardless of their duration) and work accidents.			 Medical lea correspondir company by leave issued accident. Time loss cat
Definition	Absenteeism due to health reasons has been organized into the fo- llowing categories related to medical leave authorized by doctors from health insurance companies (EPS), occupational risk adminis- trators (ARL), or the corresponding entity in the country where the indicator is implemented:	7	Measurement Methods	 Medical a entities, m by the cor Permission the investi
	 Temporary medical leave due to work-related illness. Temporary medical leave due to general illness and common accident (includes medical leave due to pregnancy complications). Temporary medical leave due to a workplace accidents (includes management of accidents and time spent investigating). Causes related to time spent by workers attending medical 			The rate of all expressed as a the period that Indirect measu must calculate
	 Causes related to time spent by workers attending medical appointments. Time spent by workers attending external medical appointments. Time spent by workers attending the company's medical appointments (includes accident consultations). 			The indicator is hours lost can l the company. Percer
Objective	Know the main causes of morbidity or accidents that generate the greatest number of cases and days of absenteeism, in order to esta- blish prevention plans or promote health activities. Estimate the number of hours of absenteeism of workers, with the purpose of projecting in advance, the number of monthly work hours to be replaced in production, due to workers' health issues.			12
Fórmula del indicador	$I_{as} = (H_a \div H_{pt}) \times 100$	8	Form of Presentation	% 6-
Description of Variables	<i>Ha</i> : hours of absenteeism that include number of hours of medical leave due to work-related illness, authorized by the ARL (or the corresponding entity) and/or board of workers and sub-contractors; number of hours of medical leave due to general illness; number of hours of medical leave due to workplace accidents; number of hours for external medical consultations;			4 - 2 - 0 -
	number of hours for internal medical consultations. <i>Hpt</i> : hours worked including number of ordinary working hours per week, total number of workers or sub-contractors in the month, number of hours invested in supplementary work by workers or sub-contractors.		Periodicity in Data	It is possible to in terms of year
Unit of Measurement	Percentage (%).	9	Measurement	Monthly.

omes from:


authorized by a doctor affiliated to the social security entities and reported to the worker. Classified according to the origin, medical occupational illness, general illness, and common

d by permits granted to workers to attend:

- ointments from corresponding social security thly statistics, or reports of medical appointments any and external doctors.
- o manage the accident and hours dedicated to tion.
- enteeism due to health problems is generally centage, illustrating the proportion of time lost in being analyzed.
- nent methods are used, given that the company e number of hours not worked in a given period.
- esented as a bar graph, where the percentage of evaluated, according to information registered by

ge of absenteeism due to health problems

Comparison between farms



Farms

ualize the percentage registered by the company nd compare with other companies in the sector.



Methodological Guide for Measurement of Indicators 68 of Florverde Impact, Monitoring, and Evaluation System

69 CONTENT

\mathbf{i}		
12	Sources of Information	Floriculture companie
13	Relationship with Other Indicators	Accident rate, severity
14	Responsible Entity or Group	Florverde Sustainable
15	Year of Elaboration	December 28, 2010.
16	Date of Last Update	October 2019.
17	Secondary Sources	Responsibility Team, Health Committee of Sustainability and En



1	Name of the Indicator	Absenteeism due to l		
		The International La teeism as "non-attend be attending, excludin This indicator makes workers linked to a co parties (temporary se		
2	Definition	ves, simplified stock of shed by labor legislati mented.		
		Absenteeism due to l regulated by the legis plemented and are co		

>>

DECISION-MAKING INDICATORS

FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM

ies.

ity rate.

le Flowers Technical Secretariat.

and Social Responsibility and Occupational Asocolflores, with support of the Directorate of nvironmental Affairs' technical team.

Absenteeism due to Labor Factors according to the Law (*Ial*) – CA

labor factors according to the law (Ial).

abor Organization (ILO) defines labor absenndance by an employee, who was considered to ling vacation periods and strikes".

es it possible to measure non-working time of company, through direct hiring, or through third service companies, associated work cooperaticompanies), due to leaves and permits establition of the country where the indicator is imple-


legal factors includes all those permits that are islation of the country where the indicator is imconsidered mandatory for employers.



Methodological Guide for Measurement of Indicators 70 of Florverde Impact, Monitoring, and Evaluation System

71 CONTENT

	 Causes related to maternity protection: Maternity leave (art. 236 of the Substantive Labor Code -CST-, or the equivalent policy document in the country). Paternity leave (art. 236 paragraph 2 of the CST or the equivalent policy document in the country). Breastfeeding permission (art. 238 of the CST or the equivalent policy document in the country). Includes medical appointments related to maternity or disabilities, abortion leave, delivery preparation permits (prophylactic). Causes related to permits, leaves, and absences. Bereavement leave (art. 57 number 10 of the CST or the equivalent
2 Definition	 policy document in the country). Funeral of companions leave (art. 57 numeral 6 of the CST or the equivalent policy document in the country). License due to performance of official positions –election jurors-(art. 57, numeral 6 of the CST or the equivalent policy document in the country). License to exercise the right to vote (art. 57, numeral 6 of the CST and Law 403/1997 art. 3 or the equivalent policy document in the country). Causes related to worker participation in union or conventional activities. Workers' union permits (art. 57, numeral 6 of the CST or the
	equivalent policy document in the country).
3 Objectives	 Identify legal permits that generate the highest percentage of hours lost due to absenteeism. Establish, individually and in different analysis groups, the impact of these regulations on the competitiveness of companies and/or the sector. Establish measures to reduce the impact of absenteeism on the company's productivity. Show compliance of companies and the sector with regulations and policies in force in the country where the indicator is implemented.
4 Indicator Formula	$I_{al} = (H_a \div H_{pt}) \times 100$
5 Description of Variables	 The formula is defined by capturing the following information: <i>Ha</i>: number of hours accumulated for maternity protection in directly hired and third-party workers; number of hours accumulated for paternity in directly hired and third party workers; number of hours accumulated for breastfeeding in directly hired and third party workers; number of hours paid for permits contemplated by law by directly hired and third party workers; number of unpaid hours for permits contemplated by law by directly hired and third party workers. <i>Hpt</i>: number of ordinary weekly working hours for directly hired and third-party workers; total number of directly hired and third-party workers in a month; number of hours invested in supplementary





Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System


>>

\checkmark		
10		The result provides information about time lost in a given period, compared to the total number of hours scheduled for all workers during that same period. This figure, in percentage terms, is equivalent to the number hours of absenteeism within the company's working day.
	Indicator Interpretation	Its reading is as follows: percentage of time lost in a month due to work absenteeism (permissions, leaves and suspension of workers, etc.), in relation to the scheduled work time.
		This indicator allows the company to calculate the cost or cost overruns generated by absenteeism due to work-related issues, and, based on the results, the company can take the necessary measures about absenteeism policies, real time worked, evaluation of hiring strategies, administration of human talent, training, welfare, and work environment.
		 The benefitsof this indicator are the following: Implement selection, hiring, and training policies to reduce the percentage of absenteeism. Identify peaks according to labor demand during the company's high season. Maintain a permanently updated diagnosis of the situation, make decisions, and verify if they were correct, once results are analyzed in relation to variables of time, persons, and place. Calculate the replacement of real time to work, according to scheduled production in each period.
11	Observations	Inclusion criteria Because of the different modalities of contracting workers in the sector and in accordance with the applicable legal framework, it is pertinent to include in the analysis the hours worked and absenteeism of directly hired personnel and those contracted via third parties (temporary service companies, associated work cooperatives, associated work organizations, and simplified stock companies), which work in the production process. This helps to obtain data with greater precision and reliability to monitor the Company's productivity. The foregoing does not mean that the legal nature and principles
		The folegoing does not mean that the legal nature and principles of autonomy and administrative self-management of the aforementioned third parties are disregarded. Therefore, the absenteeism indicator is differentiated according to the type of contract: absenteeism of directly hired workers, depending on the different modalities (indefinite term contract, fixed term contract, contract for a specific project or job) and absenteeism of workers hired through third parties (temporary service companies, associated work cooperatives, associated work organizations, and simplified stock companies).

\mathbf{i}		
11	Observaciones	 Exclusion criteria The following are not Absences where ti date, when permit Vacation leave. Internal training ca Time affected by statements
12	Sources of Information	Floriculture compani
13	Relationship with Other Indicators	Total absenteeism.Accident rate and
14	Responsible Entity or Group	Florverde Sustainable
15	Year of Elaboration	December 28, 2010.
16	Date of Last Update	October 2019.
17	Secondary Sources	Responsibility Team Health Committee of te of Sustainability ar

73

CONTENT



FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM

ot included in the number of absenteeism hours: the worker has to make-up the time on a later itted by the law.

carried out within working hours . strikes.

nies.

m. Id severity rate for work accidents.

le Flowers Technical Secretariat.

n and Social Responsibility and Occupational f Asocolflores, with the support of the Directorand Environmental Affairs' technical team.

Absenteeism due to Controllable Labor Factors (*Iafc*) – CA

Absenteeism due to controllable labor factors (lafc).

Percentage of hours lost in the evaluated period (month/year) due to controllable absenteeism. This indicator allows companies to measure non-working time of workers hired directly or through third parties (temporary service companies, associated work cooperatives, simplified stock companies), for paid and unpaid leaves, or sanctions which result from the free will of the employer, according to causality.

Identify absenteeism that can be controlled by the company and generates the highest percentage of hours lost.

Establish parameters to define the time to grant for each controllable absenteeism, according to time requested by directly hired workers and those hired through third parties, in turn, reducing the impact on the company's operations.



Methodological Guide for Measurement of Indicators 74 of Florverde Impact, Monitoring, and Evaluation System

>>

75 CONTENT

4	Indicator Formula	$I_{afc} = H_a \div H_{pt} \times 100$	
5	Description of Variables	 Ha : number of hours paid for leave granted by the company for its directly hired workers and those hired through third parties; number of unpaid hours for leaves granted by the company for its directly hired workers and those hired through third parties; number of hours deducted due to sanctions on directly hired workers and those hired through third parties. Hpt: number of hours in an ordinary working week for directly hired workers and those hired through third parties; total number of directly hired workers and workers hired through third parties in a month; number of hours invested in supplementary work carried out by directly hired workers and workers and workers hired via third parties. 	
6	Unit of Measurement	Percentage (%).	
7	Measurement Methods	 The controllable absenteeism indicator gives us the percentage of time lost due to sanctions or leaves granted to directly hired workers or workers hired through third parties, in any given period. It uses indirect measurement methods, given that the company must calculate the number of hours not worked due to different causes in a given period, taking into account the following typified causes: Paid leave: absenteeism authorization granted to directly hired workers or workers hired through third parties, for an agreed period, without affecting worker's salary. Unpaid leave: absenteeism authorization granted to directly hired workers or those hired through third parties, for an agreed period, but deducting the time from the worker's salary. Sanctions: disciplinary sanctions allow the employer to correct workers' misconduct, such as not showing up to work or not fulfilling work obligations, in line with the company's regulations or processes and procedures. 	
8	Form of Presentation		

$\stackrel{\scriptstyle \sim}{\scriptstyle \sim}$		
9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	With the results of th yearly time lost due t and the company car companies in the sect The control that eac total hours scheduled causes. This figure, sh of absenteeism withir of controllable absent time lost in a month of scheduled work time.
		The company can c absenteeism and base regarding this absent to grant, depending o hired through third p the severity of the mise
11	Observations	
12	Sources of Information	Floriculture companie
13	Relationship with Other Indicators	Total absenteeism.Accident rate and se
14	Responsible Entity or Group	Florverde Sustainable
15	Year of Elaboration	December 28, 2010.
16	Date of Last Update	October 2019.
17	Secondary Sources	Responsibility Team, Health Committee of A of Sustainability and E

f the indicator, the measurement of monthly or e to controllable absenteeism can be obtained, can even compare its results with those of other ector or the group of certified companies.

each company can have is the visualization of led versus percentage of hours lost due to these , shown as a percentage, is equivalent to hours hin the company's working day for the concepts enteeism. Its reading is as follows: percentage of th due to controllable absenteeism, in relation to ne.

calculate the cost generated by controllable ased on the results, take the necessary measures enteeism policy, evaluating the amount of leaves on the request of directly hired workers or those parties, and thus define sanctions according to isconduct carried out by the directly hired worker.

nies.

severity rate of work accidents.

ble Flowers Technical Secretariat.

m, and Social Responsibility and Occupational of Asocolflores, with the support of the Directorate d Environmental Affairs' technical team.





Absenteeism due to Labor Factors

1	Name of the Indicator	Absenteeism due to labor factors (IAL).	
2	Definition	This indicator refers to the total amount of absenteeism due to legal and/or controllable factors presented by directly hired workers and those hired through third parties, in a defined period of time Therefore, the percentage of hours lost due to absenteeism in the company is identified.	
3	Objectives	 Know the total percentage of the company's administrative absenteeism of directly hired workers and those hired through third parties. Establish control and management measures for tota absenteeism. Identify time lost by directly hired workers and workers hired through third parties with respect to scheduled work time. 	
4	Indicator Formula	IAL = Ial + Iafc	
5	Description of Variables	Ial: rate of absenteeism due to legal factors (see indicator 19)Iafc: rate of absenteeism due to controllable factors (see indicator 20)	
6	Unit of measurement	Percentage (%).	
7	Measurement Methods	For this indicator, calculations of absenteeism rate due to lega factors and absenteeism rate due to controllable factors are taken into account. This measurement serves to know the total administrative absenteeism.	
8	Form of Presentation	The indicator is presented graphically as a histogram of frequencies in which farms that reported information each month are compared Percentage of absenteeism due to labor factors Comparison between farms	

(IAL) - I

The company can know its monthly or yearly performance as a percentage.

>>

\scriptstyle		
9	Periodicity in Data Measurement	Monthly.
10	Indicator Interpretation	This indicator show absenteeism of dire- periodicity, and it also as a percentage. The a month due to admi work time.
11	Observations	
12	Sources of Information	Floriculture compani
13	Relationship with Other Indicators	 Absenteeism due t Absenteeism due t Accident rate and t
14	Responsible Entity or Group	Florverde Sustainable
15	Year of Elaboration	December 28, 2010.
16	Date of Last Update	October 2019.
17	Secondary Sources	Responsibility Team, Health Committee of of Sustainability and



1	Name of the Indicator	Accident rate (TA).
2	Definition	Indicates the numb ARL or the correspor is implemented, du by one hundred, the hundred exposed wo

FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM

ws the total time lost due to administrative ectly hired workers, with monthly and annual so facilitates a comparison between companies, e reading is as follows: percentage of time lost in inistrative absenteeism, in relation to scheduled

nies.

e to legal factors. to controllable factors. severity rate for work accidents.

le Flowers Technical Secretariat.

n, and Social Responsibility and Occupational f Asocolflores, with the support of the Directorate Environmental Affairs' technical team.


ber of accidents occurred and accepted by the onding entity in the country where the indicator uring a given period. By multiplying this result ne number of accidents that occur for every one vorkers during each period of time is obtained.



Methodological Guide for Measurement of Indicators 78 of Florverde Impact, Monitoring, and Evaluation System

\mathbf{i}		
3	Objectives	 Establish a level of measurement that serves as reference for the number of cases of workers who have reported work accidents. Allow companies of different sizes to compare themselves with others, whether in the same sector or not, both nationally and internationally. Support decision-making for actions that must be developed in order to control or prevent the causes of accidents in the company. Assess the level of performance and effectiveness of the company's health and safety programs.
4	Indicator Formula	$Ta = AC_i \div Ti \times K$
5	Description of Variables	 ACi: number of work accidents in period i, which corresponds to: number of accidents without disability occurring to directly hired workers + number of accidents with disability occurring to directly hired workers + number of accidents without disability occurring to workers hired through third parties + number of accidents with disability foro workers hired through third parties. Ti : total number of exposed workers, in period i, which corresponds to: number of directly hired workers who worked the entire month + number of workers hired through third parties who worked the whole month + number of days worked by directly hired workers who left the company during the reported period + number of days worked by workers hired through third parties who left the company in the reported period + number of days worked by workers hired through third parties who left the company in the reported period + number of days worked by directly hired workers who joined the company in the reported period. K : 100.
6	Unit of measurement	Percentage (%).
7	Measurement Methods	The company must record the number of work accidents presented during the month and reported to the ARL, or corresponding entity, as well as the number of workers who were exposed to accidents during the same month.

>>





Methodological Guide for Measurement of Indicators 80 of Florverde Impact, Monitoring, and Evaluation System

81 CONTENT


Secondary Sources

Responsibility Team, and Social Responsibility and Occupational Health Committee of Asocolflores, with the support of the Directorate of Sustainability and Environmental Affairs technical team.




Severity Rate of Work Accidents (TS) - I

1	Name of the Indicator	Severity rate of work accidents (TS).
2	Definition	Shows ratio of the average number of days lost for each injured worker.
3	Objectives	 Assess the level of severity of work accidents; the greater amount of time lost, the more severe accidents are said to be. Support goals or actions to be taken to reduce the severity of accidents occurring in the different tasks or areas of the company. Assess the level of performance and effectiveness of the company's occupational health programs.
4	Indicator Formula	$T_s = \frac{D_{pi}}{T_i}$
5	Description of Variables	<i>Dp</i> i : number of days lost due to work accidents during period i. <i>Ti</i> : total number of injured workers during period i.
6	Unit of Measurement	Percentage (%).
		The company must record the number of days not worked by workers due to work accidents occurring during the month, as well as the number of workers injured in the same month, based on reports made by the ARL, or corresponding entity. Reported data:
7	Measurement Methods	 Total number of days lost due to work accidents. Number of accidents without medical leave for directly hired workers. Number of accidents without medical leave for workers hired through third parties. Number of accidents with medical leave for directly hired workers. Number of accidents with medical leave for workers hired through third parties.



DECISION-MAKING INDICATORS

FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM



>>



Methodological Guide for Measurement of Indicators 82 of Florverde Impact, Monitoring, and Evaluation System

\checkmark		
13	Relationship with Other Indicators	 Accident rate. Rate of absenteeism due to occupational health accidents.
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.
15	Year of Elaboration	December 28, 2010.
16	Date of Last Update	October 2019.
17	Secondary Sources	Responsibility Team, and Social Responsibility and Occupational Health Committee of Asocolflores, with the support of the Directorate of Sustainability and Environmental Affairs technical team.



Turnover Percentage (R) - N


1	Name of the Indicator	Turnover percentage (R).
2	Definition	This indicator shows the relationship that exists between the number of workers who begin and stop working for a company during a period of time, compared to total average number of workers during the same period. Directly hired workers include those with fixed term contracts, indefinite term contracts, and contracts for specific jobs. Workers hired through third parties include temporary workers (temporary service companies), third-party cooperatives, and independent contractors.
3	Objectives	 Measure the percentage of employee turnover, and thus, verify stability. Verify the effectiveness of processes, including those of selection, hiring, loyalty, and workers' monitoring.
4	ndicator Formula	$R = \frac{(Tim + Trm)}{(Pim + Pfm)} \times 100$
5	Description of Variables	 Tim : total monthly new workers - corresponds to the number of people who started working for the company on that month. Trm : total monthly withdrawals - corresponds to the number of people who stop working for the company on that month. Pim : staff the beginning of the month - corresponds to the number of people who were working for the company at the beginning of the month. Pfm : staff at end of month - corresponds to the number of people who were working for the company at the number of people who were working for the company at the number of people who were working for the company at the number of people who were working for the company at the number of people who were working for the company at the end of the month.

6 Unit of Measure Percentage (%). The company must record the number of people who worked Measurement during the month and the number that stopped working, according Methods to variables described in item 5 of this methodological sheet. The indicator is presented graphically as a histogram of frequencies in which farms that reported information each month are compared. This shows the consolidated percentage behavior of the turnover rate. Rotation rate Comparison between farms 35 -30 -25 -Form of 20 -Presentation 15 -10 -5 0 -----Farms This percentage can be viewed by company, by years, months, or as a comparison between companies in the sector. Periodicity in Data Monthly. Measurement High values indicate a higher turnover of personnel in the company, while low values infer a lower turnover, that is, greater stability for workers in the company; this can be validated by month and by year. The result means that compared to the total average number of workers (directly hired and those hired through third parties) in a month, this figure, in percentage terms, is equivalent to workers (directly hired and/or hired through third parties) who started and stopped working for the company. This percentage shows what is missing in order to have 100% of the personnel. Accumulated turnover refers to the percentage of people who started and stopped working for the company compared to the total Indicator number of workers (total, directly hired, and those hired through Interpretation third parties) that are accumulated monthly. The indices of people who started and stopped working for a company refer to movements of personnel for these concepts, compared to the total number of workers (total, directly hired, and those hired through third parties). Staff turnover is very costly for the organization, not only because it alters normal operations (additional workloads, change of functions, recruitment costs, effects on the work environment, security, etc.), but also because of the time and costs involved in the recruitment, selection, and training of new personnel, either hired directly or through third parties.

>>

83

CONTENT







Methodological Guide for Measurement of Indicators of Florverde Impact, Monitoring, and Evaluation System

\sim			
n	Observations	 Among the benefits of this indicator are: Measure the effectiveness of the selection and induction processes. Define selection, hiring, and induction policies and parameters. Evaluate causes of personnel rotation (internal/external) in order to define policies and procedures for the selection process, and strengthen programs aimed to improve staff stability, the work environment, the sense of belonging, and the employer's brand. Create the need to implement feedback processes or interviews to establish the true causes for workers leaving the company. Establish costs associated with personnel turnover. Determine the total number of workers required by the company, taking into consideration turnover percentages Identify when staff turnover is higher than the sector's average, and does not correspond to seasonal turnover. 	
12	Sources of Information	Floriculture companies.	
13	Relationship with Other Indicators	Absenteeism due to controllable factors, absenteeism due to health issues, absenteeism due to legal factors, and total absenteeism.	
14	Responsible Entity or Group	Florverde Sustainable Flowers Technical Secretariat.	
15	Year of Elaboration	December 28, 2010.	
16	Date of Last Update	October, 2019.	
17	Secondary Sources	Responsibility Team, and Social Responsibility and Occupational Health Committee of Asocolflores, with the support of the Directorate of Sustainability and Environmental Affairs technical team.	





Bibliography

Colombian Association of Flower Exporters (Asocolflores) (2002). Environmental *floriculture guide*.

Colombian Association of Flower Exporters (Asocolflores) and Global Reporting Initiative (GRI). (2010). GRI report of the Colombian flower sector associated with Asocolflores. http://cecodes.org.co/reportes/files/asocolflores/ ReporteGRIAsocolflores.pdf

Declaration of the Florverde Impact Monitoring and Evaluation System.

Regional Autonomous Corporation (CAR). (2019). *Water rates*. https://www.car. gov.co/vercontent/2419

ECS Consultants (2016). Added value of the Florverde Sustainable Flowers certification. http://ecsconsultores.com/es/experiencia/success-cases/ valoragregado-of-the-certification-florverde-sustainable-flowers



Florverde Sustainable Flowers Technical and Administrative Secretariat (2020). Statement of the impact, monitoring and evaluation system (Florverde I,M&E System). https://florverde.org/wp-content/uploads/2020/12/Statement-English-version-interactiveFINAL20201216.pdf

- ISEAL (2014). Assessing the impacts of social and environmental standards systems. ISEAL code of good practice. Version 2.0. https://www.isealalliance.org/sites/ default/files/resource/2019-06/ISEAL Impacts Code Version 2.0.pdf
- Jennings, S., McCormack, C., & Sheane, R. (2020). Performance metrics for key sustainability issues. ISEAL Alliance. https://www.isealalliance.org/ sites/default/files/resource/2020-09/3Keel Performance%20metrics%20 report 2020.pdf
- Moncada, J. (2011). Sustainability indicators [Conference]. Workshop on Sustainability Indicators in the Framework of Floriculture. Florverde Farm Program. Bogota D.C.
- Montero, H., & Quintero, J. (2010). Guides of good environmental practices for flower and ornamental crops. Asocolflores and Ministry of Environment, Housing and Territorial Development.
- Mora, E.A. (2009). Conversion factors for calculating equivalent CO2 emissions in Colombia. Authorized consultation document that is protected by copyright. Bayer Climate Program.
- Organization for Economic Cooperation and Development (OECD). (1994). OECD Core Set of Environmental Indicators. Paris.
- Organization for Economic Cooperation and Development (OECD). (2004). Environmental indicators. Development, measurement and use. https://www. oecd-ilibrary.org/
- Ortiz, N., Betancourth, J. C., Bernal, N. R., & López, M. O. (2004). System of monitoring indicators for biodiversity policy in Colombia: Conceptual and methodological aspects. Series: Monitoring and Evaluation Indicators of the Biodiversity Policy. Alexander von Humboldt Biological Resources Research Institute.

CONTENT 87

Parrado, C.A., & Leiva, F.R. (2011). Carbon footprint (CF) in supply chains of Colombian cut flowers, roses and carnations, for international markets. Asocolflores Magazine, 77, 26-33.

Florverde Farm Program (2011). Florverde Strategic Plan. Synthesis of discussions. Strategic Planning Exercise 2010-2013 of the Florverde Farm Program and the Florverde[®] Certification. [Compiled by Ximena Franco Villegas based on contributions made in base exercises carried out in May, June, August and September 2010 with Asocolflores staff, the Board of Directors, the Florverde Committee and the Florverde work team.]

Quintero, J. (2009). Guidelines for the safe use and handling of pesticides in ornamental and post-harvest crops. Florverde Farm Program. 76pp

WBCSD - WRI - SEMARNAT. (2005). Greenhouse gas protocol. Corporate accounting and reporting standard. https://ghgprotocol.org/ sites/default/files/standards/protocol spanish.pdf




DECISION-MAKING INDICATORS





Attachment 1. Directory of Resources

Often, companies need to go one step further with the data they manage for indicators; they might want to ask questions, integrating new data that responds to each company's specific needs, or simply understand how indicators were calculated by using a simple tool such as Microsoft Excel. For this reason, we have incorporated a directory of digital resources, including videos and instructions, to help carry out simple processes using the data that has generated the indicators presented in this document, using spreadsheets. 89 CONTENT





Development of Pivot Tables

Pivot tables are a powerful tool for manipulating data in tabular form, given that they allow automatic data summaries and the application of multiple filters with great versatility, especially when the table containing the original data is too large or complex.

To create a pivot table, follow instructions provided in the video at the following link: https://support.microsoft.com/es-es/office/crear-una-table-dyn%C3%A1mica-para-analyze-data-from-a-sheet-of-c%C3%A1lculo-a9a84538-bfe9- 40a9-a8e9-f99134456576?wt.mc_id=otc_excel

Or carry out the following exercise: "Create a pivot table for the first time": https://omextemplates.content.office.net/support/templates/en-us/tf16400647.xltx



Developing Graphs with One Variable

Graphs help the audience visualize data more effectively. The following link illustrates how to create a chart and add a trend line. https://support.microsoft.com/es-es/office/crear-un-gr%C3%A1fico-de-principo-a-fin-0baf399e-dd61-4e18-8a73-b3fd5d5680c2?wt.mc_id=otc_excel

FLORVERDE IMPACT, MONITORING, AND EVALUATION SYSTEM







General Information about Formulas in Excel

The following link introduces the creation of formulas and using built-in functions to perform calculations and solve problems:

https://support.microsoft.com/es-es/office/informaci%C3%B3n-general-sobref%C3%B3rmulas-en-excel-ecfdc708-9162-49e8-b993-c311f47ca173?wt.mc id= otc excel

Introduction tutorial to formulas in Excel:

https://templates.office.com/es-es/tutorial-de-f%c3%b3rmula-tm16400656



Using the Average

The average of a finite set of data is equal to the sum of all its values, divided by the number of summands. Microsoft Excel has a tool that allows you to easily calculate averages. To add the average to the constructed table and graph, you need to place the cursor in the cell immediately below the one that contains the data in your table. Next, click on the Excel function bar, on the "Insert function" button, and then, select the "Average" function and click on "OK" again.

To learn more, click on the following link:

https://support.microsoft.com/es-es/office/promedio-funci%C3%B3n-promedio-047bac88d466-426c-a32b-8f33eb960cf6



Trend Analysis

One of the methods used to evaluate the trend of data in a graph is to carry out a linear regression on it. To do this, simply place the mouse pointer over one of the bars of the graph that represents the variable of interest and right click to select the option "Add trend line".

To learn more, click on the following links: https://support.microsoft.com/es-es/office/tendencia-funci%C3%B3n-tendenciae2f135f0-8827-4096-9873-9a7cf7b51ef1 https://support.microsoft.com/es-es/office/agregar-una-1%C3%ADnea-promedio-m%C3%B-3vil-o-de-tendencia-a-un-gr%C3% A1fico-fa59f86c-5852-4b68-a6d4-901a745842ad https://en.wikihow.com/do-an-an%C3%TrendAnalysis-in-Excel



Using the Standard Deviation

The standard deviation of a set of data reflects its variability with respect to the average, expressed in the same units of the variable. It provides information about how far individual data points tend to stray from the average.

To learn more, click on the following links: https://support.microsoft.com/es-es/office/desvesta-funci%C3%B3n-desvesta-5ff38888-7ea5-48de-9a6d-11ed73b29e9d https://es.wikihow.com/calcular-la-deviaci%C3%B3n-est%C3%A1ndar-in-Excel